


NOTICE OF PUBLIC HEARING
CITY OF INKSTER, WAYNE COUNTY, MICHIGAN

RE: Case No. 16-35 (SCU)

In accordance with and pursuant to the Michigan Zoning Enabling Act, Act 110 of 2006, as amended, notice is hereby given that the City of Inkster Planning Commission will hold a public hearing on **Monday, March 27, 2017, at 6:30 p.m.**, in the Inkster City Hall Council Chamber, located at 26215 Trowbridge, Inkster, Michigan, 48141, to consider a special conditions use to allow a food processing facility in the TCD, Town Center District. Andy Donato on behalf of Eastern Market Corporation is the applicant. The subject property is located on the north side of Michigan Avenue, between John Daly and Inkster Road and is legally described as follows:

30C87 LOT 87; 30C88 TO 92A LOTS 88 TO 91 INCL ALSO THE E 1/2 OF LOT 92; 30C92B 93 94 W 1/2 LOT 92 ALSO LOTS 93 AND 94 ALSO E 1/2 ADJ VAC STREET; and 30C95A E PT OF LOT 95 MEAS 27.76FT ALONG S LOT LINE AND 23.22FT ALONG N LOT LINE ALSO W 1/2 ADJ VAC HILL ST ALSO S 1/2 ADJ VAC ALLEY WESTWOOD HILLS SUB T2S R10E L54 P51 WCR, Property ID #44-018-03-0087-000; 44-018-03-0088-000; and 44-018-03-0092-002, Commonly known as 26762 Michigan Ave.



Public comments are invited. Persons unable to attend the public hearing may send their comments in writing to the attention of the City of Inkster Planning, Building & Economic Development Department, 26215 Trowbridge, Inkster, Michigan, 48141. Comments will be received through 12:00 noon, Monday, March 27, 2017. Please reference Case No. 16-35 (SCU) in all correspondence.

The City of Inkster will provide necessary reasonable auxiliary aids and services, such as signers for the hearing impaired and audio tapes of printed materials being considered at the public hearing to individuals with disabilities upon five (5) business days written notice. Individuals with disabilities requiring auxiliary aids or services should contact the City of Inkster at 313.563.9770.

Felicia Rutledge, Inkster City Clerk

PUBLISH: March 9, 2017